in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

01. Name of the Substance and/or Formulation and Company Name

1.1 Product identifier

VoglToptec Acoustic Plaster Nano SF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use of the substance or mixture Coating in the acoustic plaster system

Recommended restriction of use
No information available

1.3 Details of the supplier of the safety data sheet

Vogl Deckensysteme GmbH, Industriestrasse 10, D-91448 Emskirchen Phone 09104 / 825-0, Fax 09104 / 825-250, info@vogl-deckensysteme.de

E-mail address of person responsible for this SDS in Germany Product management, pm@vogl-deckensysteme.de

02. Potential Hazards

2.1 Classification of the substance or mixture

Assessment (regulation (EC) no. 1272/2008)

No hazardous substance or mixture.

Assessment (67/548/EEC, 1999/45/EC)

No hazardous substance or mixture.

2.2 Labelling elements

No hazardous substance or mixture.

Additional labelling:

May contain traces of preservatives owing to the raw materials used.

in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

2.3 Other hazards

The product is alkaline. Avoid contact with eyes and skin.

The potassium silicate (aqueous solution, mol ratio >3.2 and solid content <40 %) does not require special labelling. The classification is based on toxicological examinations by CEES.

Results of PBT and vPvB assessment: not applicable.

03. Composition / Information on Components

3.2 Mixtures

Chemical characterisation: Silicate coating

Hazardous ingredients

No hazardous ingredients

04. First Aid Measures

4.1 Description of first aid measures

General information

In case of accident or indisposition, consult a physician immediately (show this label, if possible). Never give anything by mouth to an unconscious person. If unconscious, place person in recovery position and seek medical advice.

If inhaled

Move person to fresh air. Keep the affected person in a warm and quiet place. In case of irregular breathing or respiratory arrest, provide artificial respiration. If symptoms persist, call a physician.

Skin contact

Take off immediately all contaminated clothing and shoes. Wash immediately with soap and plenty of water.

DO NOT use solvents or thinners. If symptoms persist, call a physician.

Wash contaminated clothing prior to reuse.

Eye contact

After eye contact, remove contact lenses. Rinse eyes immediately for at least 15 minutes, also under the eye lids, using plenty of water. Consult a physician.

in compliance with Directive (EC) no. 1907/2006



VoglToptec® Acoustic Plaster Nano SF Trade name:

Revised on: 01/01/2016

If swallowed

Rinse mouth with water and drink plenty of water afterwards. Do not induce vomiting. Consult a physician. Keep still.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No information available

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment

No information available

05. Measures for Fire Fighting

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemicals Water spray

Unsuitable extinguishing media:

Full water jet

5.2 Special hazards arising from the substance or mixture

The following can be released in case of fire:

Carbon monoxide

Carbon dioxide (CO2)

Nitric oxides (NOx)

Inhaling decomposition products can result in damage to your health.

5.3 Advice for fire fighters

In case of fire, wear self-contained breathing apparatus, if necessary.

Additional information

Cool closed receptacles with water spray jet.

Dispose of fire debris and contaminated extinguishing water in accordance with local authority regulations.

06. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Order Service

in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

6.2 Environmental protection measures

Prevent product from entering drains, water courses or soil. In the event of contaminated waters or sewers, notify the authorities in charge.

6.3 Methods and material for containment and cleaning up

Contain and remove leaking material with non-combustible, absorbing material (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national legal regulations (see section 13). Sweep up and remove material. Clean with detergents. Avoid solvents. Dispose of contaminated material as waste according to item 13. Clean contaminated surfaces thoroughly.

6.4 Reference to other sections

See protective measures under items 7 and 8.

07. Handling and Storage

7.1 Precautions for safe handling

Safe handling instructions:

Avoid contact with eyes, mouth or bare skin.

Prevent access of unauthorized persons. Ensure adequate air exchange and/or exhaust in work rooms. Comply with legal protection and safety regulations.

Hygiene measures:

Wash hands before breaks and at end of work.

Do not eat, drink or smoke during work.

Avoid contact with skin or eyes. Take off contaminated clothing and gloves and wash (off) before reuse, also on the inside.

7.2 Conditions for safe storage, including any incompatibilities

Requirements of storage rooms and receptacles

Close opened containers carefully and store them upright to prevent any leakages. Store in original receptacle. Store in a dry place. Observe directions on label. Protect from frost, heat and sun radiation.

Precautions against fire and explosion

Hazardous decomposition products might form under high temperatures (e.g. carbon dioxide, carbon monoxide and smoke).

Precautions against combined storage

Keep away from oxidants and strongly acidic or alkaline materials.

Storage category

13 - Non-combustible solids

in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

7.3 Specific end uses

This product was allocated to a GIS code and/or a product code (see section 15). For further information, please use this code and refer to GISBAU (Gefahrstoffinformationssystem der Berufsgenossenschaft der Bauwirtschaft, An der Festeburg 2760389 Frankfurt, Phone +49 (0)69-4705279, Fax +49 (0)69-4705-288, gisbau@bgbau.de, www.gisbau.de).

For further information, see also Technical Data Sheet on the product.

<u>08. Limitation and Monitoring of Exposure /</u> Personal Protection Equipment

8.1 Control parameters

Occupational exposure limit value(s)

Contains no substances with occupational exposure limit values.

8.2 Limitation and monitoring of exposure

Appropriate engineering controls

Ensure adequate ventilation; use or install internal exhaust systems, if necessary.

Individual protection measures, for example personal protection equipment

a) Eye/face protection Tightly sealing goggles

Eye wash bottle with pure water

b) Skin protection

Hand protection Penetration time: 480 min

Minimum thickness: 0.4 mm

Nitrile rubber gloves, e.g.: KCL 730 or equivalent

Skin which will come into contact with the product should be treated with barrier creams. They should never be used after

contact.

The protective gloves to be used must comply with the specifications of the EC Directive 89/686/EEC and the

standard EN 374 arising from it.

Selecting an appropriate glove depends not only on the material but also on other quality criteria and differs from

manufacturer to manufacturer.

Body protection Impervious protective clothing

Wash skin thoroughly after contact.

c) Respiratory protection For spatterwork, users should wear a P2 particle filter.

in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

Limitation and monitoring of environmental exposure

General information Prevent product from entering drains, water courses or soil.

In the event of contaminated waters or sewers, notify the authorities in

charge.

09. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Paste Colour White

Odour Weak, characteristic
Odour threshold No data available

pH value Approx. 11.0 – 12.5, 20 °C

Melting / freezing point

Boiling point / range

Flashpoint

Evaporation rate

Not applicable

Not applicable

Not applicable

Flammability (solid, gas) Product is not inflammable

Lower explosion limit
Upper explosion limit
Vapour pressure
Vapour density
Density

No data available
No data available
No data available
Approx. 1.3 g/cm³, 20 °C

Solubility (water) Fully miscible

Partition coefficient: n-

Octanol/water Not defined
Autoignition temperature Not self-igniting
Ignition temperature No data available
Decomposition temperature No data available

Viscosity, dynamic Approx. 25,000 mPa.s, 20 °C

Explosive properties Not explosive Oxidising properties Not applicable

9.2 Other information

Flow time No data available

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No information available

10.4 Conditions to be avoided

Conditions to be avoided Stable if the recommended instructions for storage and handling are

observed (see section 7).

10.5 Incompatible materials

Incompatible materials Strong acids

Oxidants

10.6 Hazardous decomposition products

Hazardous decomposition products No decomposition if stored and applied as intended.

Decomposition temperature No data available

11. Toxicological Information

Product:

Acute oral toxicity Classification criteria not fulfilled based on data available.

Acute inhalative toxicity Classification criteria not fulfilled based on data available.

Acute dermal toxicity Classification criteria not fulfilled based on data available.

Corrosive/irritant effect on skin Classification criteria not fulfilled based on data available.

Serious eye damage /

eye irritation Classification criteria not fulfilled based on data available.

Sensitisation of

respiratory tract / skin Classification criteria not fulfilled based on data available.

Germ cell mutagenicity

Genotoxicity in vitro Classification criteria not fulfilled based on data available.

in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

Carcinogenicity Classification criteria not fulfilled based on data available.

Reproduction toxicity

Effect on fertility Classification criteria not fulfilled based on data available.

Developmental toxicity Classification criteria not fulfilled based on data available.

Specific target organ toxicity

for single exposure Classification criteria not fulfilled based on data available.

Specific target organ toxicity

for multiple exposure Classification criteria not fulfilled based on data available.

Aspiration hazard Classification criteria not fulfilled based on data available.

Experience with humans Repeated or prolonged contact with the product may cause removal of

the natural fat from the skin resulting in non-allergic contact damage

(contact dermatitis) and/or substance absorption.

Hazard of irritation of eyes, skin, nose, throat and airways.

Further information The product has not been tested as such. The mixture is classified IAW

Annex I to Directive (EC) 1272/2008. (For details, see sections 2 and 3)

12. Environmental Information

12.1 Toxicity

Product:

Toxicity to fish No data available

12.2 Persistence and degradability

Product:

Biodegradability No data available

12.3 Bioaccumulation potential

Product:

Bioaccumulation No data available

12.4 Mobility in soil

in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

Product:

Mobility No data available

12.5 Results of PBT and vPvB assessment:

Product:

Assessment This substance / this mixture does not contain any components, in

concentrations of 0.1 % or higher, that are classified to be either very

persistent or very bioaccumulative (vPvB).

12.6 Other adverse effects

Product:

Other ecological information The product is alkaline. Do not allow product top enter groundwater,

waters or sewers.

For water hazard class, see item 15 of the Safety Data Sheet.

13. Notes on Disposal

13.1 Waste treatment procedures

Product The user is responsible for the proper encoding and designation of any

waste generated. If used as recommended, the waste code can be selected in accordance with the code of the European Waste Catalogue (EWC), category 17.09 - Other construction and demolition wastes. Allow plaster residues to dry or thicken using cement-containing binding agents.

Dispose of non-hardened product residues under the recommended

waste code number.

Contaminated packaging Packaging without residues is recycled via disposal systems.

Waste code for the unused product

08 01 12: Waste paints and varnishes with the exception of those

that fall under 08 01 11.

14. Transport Information

14.1 UN number Not classified as hazardous cargo

in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

14.2 UN proper shipping name Not classified as hazardous cargo

14.3 Transport hazard classes Not classified as hazardous cargo

14.4 Packaging group Not classified as hazardous cargo

14.5 Environmental risksNot classified as hazardous cargo

14.6 Special precautions for user

Notes No information available

14.7 Transport in bulk according to Annex II of the MARPOL Agreement 73/78 and the IBC Code

Notes Not applicable

15. Legal Provisions

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Ordinance on industrial safety and health Not applicable

Water hazard class WGK 1 - slightly hazardous to water

GISBAU M-SK01 1K silicate paint

Directive 1999/13/EC 0 %

Directive 2004/42/EC < 0.01 %

0.01 g/l

EU limit value for this product (product category A/a30g/l)

This product contains max. 30 g/I VOC.

Other regulations Comply with legal protection and safety regulations.

15.2 Chemical safety assessment

No information available

16. Miscellaneous Information

Further information

The assessment was conducted IAW article 6, paragraph 5 and Annex I to Directive (EC) no. 1272/2008.

in compliance with Directive (EC) no. 1907/2006



Trade name: VoglToptec® Acoustic Plaster Nano SF

Revised on: 01/01/2016

Any changes compared to the previous version are identified by a marking on the left margin. The information provided in this Safety Data Sheet is based on the present state of our knowledge and complies with national and EU legislation. The user's working conditions, however, are beyond our knowledge and control. The user is responsible for complying with all the necessary legal requirements. The information provided in this Safety Data Sheet describes the safety requirements of our product and do not represent any assurance of product properties.

Division issuing the data sheet

Product management Vogl Deckensysteme GmbH, D-91448 Emskirchen