

Trade name: Revised on: Vogl ceiling paint White Premium 01/01/2016

01. Name of the Substance and/or Formulation and Company Name

1.1 Product identifier

Vogl ceiling paint White Premium

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use of the substance or mixture Indoor paint

Recommended restriction of use No information available

1.3 Details of the supplier of the safety data sheet

Vogl Deckensysteme GmbH, Industriestrasse 10, D-91448 Emskirchen Phone 09104 / 825-0, Fax 09104 / 825-250, info@vogl-deckensysteme.de

E-mail address of person responsible for this SDS in Germany Product management, pm@vogl-deckensysteme.de

02. Potential Hazards

2.1 Classification of the substance or mixture

Assessment (regulation (EC) no. 1272/2008)

No hazardous substance or mixture.

Assessment (67/548/EEC, 1999/45/EC)

No hazardous substance or mixture.

2.2 Labelling elements

No hazardous substance or mixture.

Additional labelling:

Safety Data Sheet available upon request.

Contains

1,2-benzisothiazol-3(2H)-one

May cause allergic reactions.



Trade na	me:
Revised	on:

Vogl ceiling paint White Premium 01/01/2016

Contains

1,2-benzisothiazol-3(2H)-one Bronopol (INN)

as active ingredients for storage protection IAW Biocidal Products Regulation (Regulation (EU) no. 528/2012)

2.3 Other hazards

Results of PBT and vPvB assessment: not applicable.

03. Composition / Information on Components

3.2 Mixtures

Chemical characterisation: Water-based indoor dispersion paint

Hazardous ingredients

Notes: No hazardous ingredients

04. First Aid Measures

4.1 Description of first aid measures

General information

In case of accident or indisposition, consult a physician immediately (show this label, if possible). Never give anything by mouth to an unconscious person. If unconscious, place person in recovery position and seek medical advice.

If inhaled

Move person to fresh air. Keep the affected person in a warm and quiet place. In case of irregular breathing or respiratory arrest, provide artificial respiration. If symptoms persist, call a physician.

Skin contact

Take off immediately all contaminated clothing and shoes. Wash immediately with soap and plenty of water.

DO NOT use solvents or thinners. If symptoms persist, call a physician. Wash contaminated clothing prior to reuse.



Trade name:	
Revised on:	

Vogl ceiling paint White Premium 01/01/2016

Eye contact

After eye contact, remove contact lenses. Rinse eyes immediately for at least 15 minutes, also under the eye lids, using plenty of water. Consult a physician.

If swallowed

Rinse mouth with water and drink plenty of water afterwards. Do not induce vomiting. Consult a physician. Keep still.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No information available

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment No information available

05. Measures for Fire Fighting

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemicals Water spray

Unsuitable extinguishing media: Full water jet

5.2 Special hazards arising from the substance or mixture

The following can be released in case of fire: Carbon monoxide Carbon dioxide (CO2) Nitric oxides (NOx) Inhaling decomposition products can result in damage to your health.

5.3 Advice for fire fighters

In case of fire, wear self-contained breathing apparatus, if necessary.

Additional information Cool closed receptacles with water spray jet. Dispose of fire debris and contaminated extinguishing water in accordance with local authority regulations.



Trade name: Revised on: Vogl ceiling paint White Premium 01/01/2016

06. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not inhale fumes.

6.2 Environmental protection measures

Prevent product from entering drains, water courses or soil. In the event of contaminated waters or sewers, notify the authorities in charge.

6.3 Methods and material for containment and cleaning up

Contain and remove leaking material with non-combustible, absorbing material (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national legal regulations (see section 13). Sweep up and remove material. Clean with detergents. Avoid solvents. Dispose of contaminated material as waste according to item 13. Clean contaminated surfaces thoroughly.

6.4 Reference to other sections

See protective measures under items 7 and 8.

07. Handling and Storage

7.1 Precautions for safe handling

Safe handling instructions:

Avoid contact with eyes, mouth or bare skin.

Prevent access of unauthorized persons. Ensure adequate air exchange and/or exhaust in work rooms. Comply with legal protection and safety regulations.

Hygiene measures:

Wash hands before breaks and at end of work.

Do not eat, drink or smoke during work.

Avoid contact with skin or eyes. Take off contaminated clothing and gloves and wash (off) before reuse, also on the inside.

7.2 Conditions for safe storage, including any incompatibilities

Requirements of storage rooms and receptacles

Close opened containers carefully and store them upright to prevent any leakages. Store in original receptacle. Store in a dry place. Observe directions on label. Protect from frost, heat and sun radiation.

Precautions against fire and explosion

Hazardous decomposition products might form under high temperatures (e.g. carbon dioxide, carbon monoxide and smoke).



Trade name: Revised on: Vogl ceiling paint White Premium 01/01/2016

Precautions against combined storage

Keep away from oxidants and strongly acidic or alkaline materials.

Storage category

12 – Non-combustible liquids

7.3 Specific end uses

This product was allocated to a GIS code and/or a product code (see section 15). For further information, please use this code and refer to GISBAU (Gefahrstoffinformationssystem der Berufsgenossenschaft der Bauwirtschaft, An der Festeburg 2760389 Frankfurt, Phone +49 (0)69-4705279, Fax +49 (0)69-4705-288, gisbau@bgbau.de, www.gisbau.de).

For further information, see also Technical Data Sheet on the product.

08. Limitation and Monitoring of Exposure / Personal Protection Equipment

8.1 Control parameters

Occupational exposure limit value(s)

Contains no substances with occupational exposure limit values.

8.2 Limitation and monitoring of exposure

Appropriate engineering controls Ensure adequate ventilation; use or install internal exhaust systems, if necessary.

Individual protection measures, for example personal protection equipment

a) Eye/face protection	Tightly sealing goggles Eye wash bottle with pure water
b) Skin protection Hand protection	Penetration time: 480 min Minimum thickness: 0.4 mm Nitrile rubber gloves, e.g.: KCL 730 or equivalent
	Skin which will come into contact with the product should be treated with barrier creams. They should never be used after contact. The protective gloves to be used must comply with the specifications of the EC Directive 89/686/EEC and the standard EN 374 arising from it.
	Selecting an appropriate glove depends not only on the material but also on other quality criteria and differs from manufacturer to manufacturer.



Trade name:	Vogl ceiling paint White Premium
Revised on:	01/01/2016

Body protection	Impervious protective clothing Wash skin thoroughly after contact.
c) Respiratory protection	Normally no need of personal respiratory protective equipment. Use respiratory protective equipment in case of insufficient ventilation. For spatterwork, users should wear a P2 particle filter.

Limitation and monitoring of environmental exposure

General information Prevent product from entering drains, water courses or soil. In the event of contaminated waters or sewers, notify the authorities in charge.

09. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour threshold pH value Melting / freezing point Boiling point / range Flashpoint Evaporation rate Flammability (solid, gas) Lower explosion limit Upper explosion limit Upper explosion limit Vapour pressure Vapour density Density Solubility (water) Partition coefficient: n- Octanol/water Autoignition temperature	Liquid White Weak, characteristic No data available Approx. 7.5 – 8.5, 20 °C < 0 °C Not applicable > 100 °C Not applicable No data available No data available Not defined Not defined Not self-igniting
Autoignition temperature	Not self-igniting
Ignition temperature	No data available
Decomposition temperature	No data available
Viscosity, dynamic	Approx. 1600 mPa.s, 23 °C
Explosive properties	Not explosive
Oxidising properties	Not applicable

9.2 Other information

Flow time

No data available



Trade name: Revised on: Vogl ceiling paint White Premium 01/01/2016

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No information available

10.4 Conditions to be avoided

Conditions to be avoided Stable if the recommended instructions for storage and handling are observed (see section 7).

10.5 Incompatible materials

Substances to avoid Strong acids and strong bases Strong oxidants

10.6 Hazardous decomposition products

Hazardous decomposition products No decomposition if stored and applied as intended.

Decomposition temperature No data available

11. Toxicological Information

Product:

Acute oral toxicity	Classification criteria not fulfilled based on data available.
Acute inhalative toxicity	Classification criteria not fulfilled based on data available.
Acute dermal toxicity	Classification criteria not fulfilled based on data available.
Corrosive/irritant effect on skin	Classification criteria not fulfilled based on data available.
Serious eye damage / eye irritation	Classification criteria not fulfilled based on data available.



Trade name: Revised on:	Vogl ceiling paint White Premium 01/01/2016
Sensitisation of respiratory tract / skin	Classification criteria not fulfilled based on data available.
Germ cell mutagenicity	
Genotoxicity in vitro Carcinogenicity	Classification criteria not fulfilled based on data available. Classification criteria not fulfilled based on data available.
Reproduction toxicity	
Effect on fertility Developmental toxicity	Classification criteria not fulfilled based on data available. Classification criteria not fulfilled based on data available.
Specific target organ toxicity for single exposure	Classification criteria not fulfilled based on data available.
Specific target organ toxicity for multiple exposure	Classification criteria not fulfilled based on data available.
Aspiration hazard	Classification criteria not fulfilled based on data available.
Further information	The product has not been tested as such. The mixture is classified IAW Annex I to Directive (EC) 1272/2008. (For details, see sections 2 and 3)
12. Environmental In	nformation
12.1 Toxicity	

Product:

Toxicity to fish

No data available

12.2 Persistence and degradability

Product:

Biodegradability

No data available

12.3 Bioaccumulation potential

Product:

Bioaccumulation

No data available



Trade	name:
Revise	ed on:

Order Service

Vogl ceiling paint White Premium 01/01/2016

12.4 Mobility in soil			
Product:			
Mobility	No data available		
12.5 Results of PBT and vPvB assessment:			
Product:			
Assessment	This substance / this mixture does not contain any components, in concentrations of 0.1 % or higher, that are classified to be either very persistent or very bioaccumulative (vPvB).		
12.6 Other adverse effects			
Product:			
Other ecological information	Do not allow product top enter groundwater, waters or sewers. For water hazard class, see item 15 of the Safety Data Sheet.		
<u>13. Notes on Disposal</u>			
13.1 Waste treatment procedures			
Product	The user is responsible for the proper encoding and designation of any waste generated. Dispose of as hazardous waste in compliance with the local and national legal regulations.		
Contaminated packaging	Packaging without residues is recycled via disposal systems.		
Waste code for the unused product	08 01 12: Waste paints and varnishes with the exception of those that fall under 08 01 11.		
14. Transport Information			

14.1 UN number	Not classified as hazardous cargo
14.2 UN proper shipping name	Not classified as hazardous cargo
14.3 Transport hazard classes	Not classified as hazardous cargo
14.4 Packaging group	Not classified as hazardous cargo
14.5 Environmental risks	Not classified as hazardous cargo



Trade name:	
Revised on:	

Vogl ceiling paint White Premium 01/01/2016

14.6 Special precautions for user

Notes

No information available

14.7 Transport in bulk according to Annex II of the MARPOL Agreement 73/78 and the IBC Code

Notes

Not applicable

15. Legal Provisions

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Ordinance on industrial safety and	health Not applicable
Water hazard class	WGK 1 - slightly hazardous to water
GISBAU	M-DF01 dispersion paints, solvent-free
Directive 2004/42/EC	0 %
	EU limit value for this product (product category A/a30g/l) This product contains max. 30 g/l VOC.
Other regulations	Comply with legal protection and safety regulations.

15.2 Chemical safety assessment

No information available

16. Miscellaneous Information

Further information

Any changes compared to the previous version are identified by a marking on the left margin. The information provided in this Safety Data Sheet is based on the present state of our knowledge and complies with national and EU legislation. The user's working conditions, however, are beyond our knowledge and control. The user is responsible for complying with all the necessary legal requirements. The information provided in this Safety Data Sheet describes the safety requirements of our product and do not represent any assurance of product properties.

Division issuing the data sheet

Product management Vogl Deckensysteme GmbH, D-91448 Emskirchen